



**The Alsa Corporation**

**RC,RCR,RCW-8420/  
RCH-8420  
Polyurethane  
Rubber Paint / Hardener**

Product Number

RC-8420  
RCR-8420  
RCW-8420

Description

Polyurethane Rubber paint

Hardeners

RCH-8420

Description

Normal Hardener

Description

The RC series is offered in a clear and a red and white it is a high solids urethane clearcoat or single stage designed for coating rubber and extremely flexible parts. It is an remarkably durable and flexible finish. Excellent use in air and force dry environments.

Mixing Ratio (1:1)

Mix 1 pars RC,RCR,RCW-8420 to 1 part RCH-8420.

Application

Apply 2 wet coats at 20 psi allowing 10-15 minute flash between coats.

Dry times at 77° F

Dust Free in 20 minutes  
Tack Free in 30 minutes

Force Drying

Flash time @ 77° F      15 Minutes  
Bake Time @140°F      45 Minutes  
Air dry @ 77° F            6 Hours